

## Bolero Bravo/Ultimo Touch



### Placement and connections

Please observe the guidelines to maximize safety and performance

units of measurement = mm

Please consult your local JDE Professional helpdesk for more information and explanation.

Please see the product brochure for more detailed information regarding range of available drinks, specifications, options and accessories.



### ⚡ POWER SUPPLY

Power consumption (rated): 2230 W (230V)  
Wall outlet with earth connection  
(in compliance with your local regulations),  
230VAC/50Hz, 16A

Distance from machine : <1 mtr.

An additional power outlet is required for an optional cold water unit or accessories.

### 💧 WATER CONNECTION

(in compliance with your local regulations)

Copper piping (or similar material - approved for drinking water supply)

Non-return valve (mandatory in many countries – check your local regulations)

Water tap : 3/4" or 3/8"

Distance from machine : <1 m

Water hose length : 1000 mm

Dynamic pressure : min. 1 bar at 10 L/min

Static pressure : max. 8 bar non-shock

### 📏 DIMENSIONS

H 592 mm x W 317 mm x D 440 mm

(add 100 at both sides of the machine for service/maintenance purpose and ventilation)

Total space required:

H 920 mm x W 517 mm x D 520 mm

Empty weight : ca. 16,5 kg

Operational weight : ca. 22 kg

### 🔌 OTHER

- ❗ The electrical socket should not be located within a distance of 30 cm/12" or below the water connection point.
- ❗ The wall socket and water stop valve should be located in the same room as the equipment and easily accessible.
- ❗ Do not use power extension cords.  
The equipment is only suitable for indoor use.  
(temperature: 1 ~ 32 °C, humidity: <80% RH)
- ❗ Place the equipment on a stable surface or furniture, capable of supporting its total weight.

## Bolero Bravo/Ultimo Touch



### Options and water treatment


Information concerning options,  
water filters and -softeners.

units of measurement = mm


Please consult your local JDE Professional  
helpdesk for more information and  
explanation.

Please see the product brochure for more  
detailed information regarding range of  
available drinks, specifications, options  
and accessories.

1



2



### 💡 EXPLANATION

#### 1. WATER FILTER

A filter may be necessary to  
optimize the water quality  
The max required space is:  
540 (h) x 130 (b) x 130 (d)

#### 2. WATER SOFTENING (> 10 ° DH)

A water softener is necessary  
if the water hardness exceeds 10 ° DH.  
The type required depends on the  
water hardness and daily number of  
consumptions.

The max required space is:  
580 mm (l) x 150 mm (w) x 150 mm (d)

## Bolero Bravo/Ultimo Touch




### Dimensions in detail

Additional detailed information concerning dimensions.


units of measurement = mm

Please consult your local JDE Professional helpdesk for more information and explanation.


Please see the product brochure for more detailed information regarding range of available drinks, specifications, options and accessories.



Side view with opened top cover  
(+80 mm space at the rear side)



Front side  
(100 mm at both sides of the machine for service/maintenance and ventilation)



Rear side

## Bolero Bravo/Ultimo Touch



### Dimensions in detail

Additional detailed information concerning dimensions of the height extension kit

units of measurement = mm

Please consult your local JDE Professional helpdesk for more information and explanation.

Please see the product brochure for more detailed information regarding range of available drinks, specifications, options and accessories.

